இ ලංකා විභාග දෙපාර්තමෙන්තුව මූ ලංකා විහ**ලි ලොකලම් මහාග දෙපැවැර්තු මෙන්තුව**්තුව මූ ලංකා විභාග දෙපාර්තමෙන්තුව ලියකා இலங்கைப் பழீட்சைத் திணைக்களமதுலங்கைப் பூட்ணத் திணைக்களம் இலங்கைப் பூட்சைத் திணைக்களம் இ Department of Examinations, Sri Lanka De**இலங்கைப்**டிய**ரிப்சைத்** S**நினைக்களம்**nt of Examin இ ලංකා විභාග දෙපාර්තමෙන්තුව මූ ලංකා විභාග දෙපාර්තමෙන්තුව මූ ලංකා විභාග දෙපාර්තමෙන්තුව මූ ලංකා இலங்கைப் பூட்சைத் திணைக்களமதுலங்கைப் **சேஷர்ராள் வடக்களும் விலை நிகிய இதிகின**க்களம் இலங்கைப் பூடனசத் தணைக்களம்

අධායන පොදු සහතික පතු (සාමාතා පෙළ) විභාගය, 2020 සහ්ඛා්ධ பொதுத் தராதரப் பத்திர (சாதாரண தர)ப் பரீட்சை, 2020 General Certificate of Education (Ord. Level) Examination, 2020

විදායාව I ඛාල්ලාගෙර I Science I

පැය එකයි ඉரு மணித்தியாலம் **One hou**r

Note:

- * Answer all questions.
- * In each of the questions 1 to 40, pick one of the alternatives (1), (2), (3), (4) which you consider is correct or most appropriate.
- * Mark a cross (\times) on the number corresponding to your choice in the answer sheet provided.
- * Further instructions are given on the back of the answer sheet. Follow them carefully.
- 1. The fundamental structural and functional unit of life is the
 - (1) cell.
- (2) tissue.
- (3) organ.
- (4) system.
- 2. What is the pair of subatomic particles which attract each other?
 - (1) electrons and neutrons

(2) electrons and protons


(3) protons and neutrons

(4) electrons and electrons

- 3. The unit of momentum is
 - (1) $kg m s^{-1}$.
- (2) kg m s^{-2} .
- (3) $\text{kg m}^{-1} \text{s}^{-1}$.
- (4) $kg m^2 s^{-2}$
- 4. The figures A, B and C below indicate three types of muscle tissues.







A, B and C above respectively are

- (1) smooth muscle, cardiac muscle and skeletal muscle tissues.
- (2) skeletal muscle, smooth muscle and cardiac muscle tissues.
- (3) smooth muscle, skeletal muscle and cardiac muscle tissues.
- (4) cardiac muscle, skeletal muscle and smooth muscle tissues.
- 5. Which of the following is the molecule with highest number of covalent bonds?
 - (1) O_{2}
- (2) N_2
- (3) NH₂
- (4) CO₂

- 6. Heat is transmitted from the Sun to the Earth by
 - (1) radiation.

(2) conduction.


(3) convection.

- (4) radiation and convection.
- 7. As was extracted by a student from an environmental pyramid, that ecosystem has one producer, eight primary consumers and twenty three secondary consumers. The student has extracted this information from a
 - (1) upright number pyramid.

(2) inverted number pyramid.

(3) upright biomass pyramid.

- (4) inverted biomass pyramid.
- **8.** Here is shown the displacement-time graph of the motion of an object. During the time intervals from 0 to t_1 and t_1 to t_2 , the nature of the motion of the object respectively is,
 - (1) a uniform velocity and an acceleration.
 - (2) a uniform velocity and a retardation.
 - (3) a uniform acceleration and a retardation.
 - (4) a uniform retardation and an acceleration.



	ZUZU/ 34/ 12-1		= <u>/</u> =		
9.	the illustration. Pro thalassemia, an inhe in a somatic chrom haemoglobin natural recessive gene is t. A	re based on the following induction of haemoglobing rited disease caused by the osome. With regard to the ly, the dominant gene is T val., B, C, and D indicate the belonging to the F ₁ generation.	is disturbed by $P \text{ gen}$ e gene mutation e production of while the mutant F_1 generation. F_1 ger	Mother Father retation Tt × Tt retes T t T t retation A B C D	
10.	F ₁ generation is			althy individuals belonging to the	
	(1) 1:1:1.	(2) 1:1:2.	(3) 1:2:1.	(4) 2:1:1.	
T	Which statement is al (1) greater than the (3) lesser than the		(2) equal to the di		
12.	2. The electronic configurations of the atoms of two elements X and Y are 2, 8, 1 and 2, 8, 7 respectively. Of the following statements about the pair of those elements, which statement is false ? (1) located in the same period in the Periodic Table (2) located in the same group in the Periodic Table (3) chemically combine forming ionic bonds (4) combine and form the compound with the chemical formula XY				
13.	What is the number of	of O ₂ molecules contained	in 64 g of oxygen gas?	(O = 16)	
	(1) 6.022×10^{23}	(2) $2 \times 6.022 \times 10^{23}$	(3) $4 \times 6.022 \times 10^{-2}$	23 (4) $64 \times 6.022 \times 10^{23}$	
14.	Table with atomic num	our elements consecutively obers below 20. The graph is varies against the atomic not be a sequence of the seq	ndicates how their first	I ₁ /kJ mol ⁻¹ W Z Z Atomic number	
15	The substances acting	as the main components pr	oviding energy for the f	unctioning of the human body are	
200	(1) proteins and lip		(2) proteins and v	-	
	(3) carbohydrates a		(4) carbohydrates		
16.	A person's glucose letitems should he consu (1) meat		ed above the optimum logarithms (3) green gram (mun	evel. Which of the following food g/payaru) (4) bread	
17.	Select the false states (1) building unit is (3) store hereditory		(2) a natural polyi (4) contain the ele	mer ements C, H, O and N only	
18.	(1) Ceylon almond(ko	ls/fruits dispersed by water tamba/kaththappu), hora and m ed (vara/erukkalai) and rubbe	ango.(2) lotus, castor (e	echanism respectively are endaru/amanakku) and rubber. d okra (bandakka/vendi).	
19.	Which of the following (1) blood	ng does not pass into the form (2) nutrients	petus from the mother the (3) oxygen	nrough the umbilical cord? (4) pathogens	
20.	What is the ray diagra	m which illustrates the pho	enomenon of total inter	nal reflection?	
_	air	air	air	air ' ^B /	
	glass $\theta \mid \theta$	glass $\theta \alpha$	glass c	glass θ	

(2)


(1)


(4)


(3)


21.		thlete finishing a rur h is produced in mus				amp in his leg.	What is th	e chemical o	compound
	(1)	carbon dioxide	(2)	ethyl alcohol	(3)	lactic acid	(4)	acetic acid	
22.		rm-blooded (homoed pigeon and frog.				ood (poikilothe rat snake and v			
23.		ch arrangement can be of 1.5 V?	e use	d to obtain a voltage	of 3	V from two dry	cells each	with an elec	tromotive
		1.5 V		1.5 V		1.5 V		₹1.5 V	7
	Constitution and an order of the second	1.5 V	*******************	(2)		1.5 V	·	1.5 V	
		(1)		(2)		(3)		(4)	
24.		t is the metal that rea sodium			with (3)		(4)	calcium	
25.	What	t is the correct staten	ent a	bout the Covid-19 v	irus?				
		can be observed by the bears a nucleus with	-	-	(2) (4)	carries out me shows living a			racteristics
26.	Whe	n salt is extracted from	n sea	water in a saltern, wl	hat is	the compound	that precipi	tates along w	vith NaCl?
		Na ₂ SO ₄		MgCl ₂		CaCO ₃		CaSO ₄	
27.		naximum upthrust ex t will	erted	by water on a certain	n obje	ect is less than t	the weight	of the object.	. Then, the
	(1)	float on the water su float fully immersed			, ,	float partly im sink fully in w		water.	
28.	What	t is the part common	to the	e human digestive sy	stem	and the human	respirator	v system?	
200		mouth		oesophagus		pharynx	_	larynx	
29.		figure shows how a contraction radius. How much	^	^ ^		tate a wheel of		0.4 m!	_> 5 N
		$5 \times 0.4 \text{ Nm}$		5 × 0.8 Nm				₩)	
	(3)	$5 \times 5 \times 0.4$ Nm	(4)	$5 \times 5 \times 0.8$ Nm			\	: /	
							5 N < −−		
30.	What	t is the mole fraction $(N = 14, O = 16)$	of O	in a mixture contain	ning 9	% of oxygen	gas (O ₂) an	d 56 g of ni	trogen gas
	(1)	4	(2)	2	(3)	<u>3</u>	(4)	4/5	
21		5 n below are four way		J		٥			nnerature
JI.		nich way is hydrogen							
		zinc granules + dilu	_			zinc granules	+ concentra	ated hydroch	loric
	. ,	zinc powder + dilut			(4)	zinc powder +			
32.	Betw	een a strong acid and	a stro	ng base,					
		an exothermic neutran exothermic comb			(2) (4)	an endothermi	c neutraliz c combina	ation reactio tion reaction	n occurs. occurs.
33.	A co	nductor carrying an	electi	ric current I, is kept	perp	endicular to a			
	magr	netic filed as shown	in the	e diagram. Horizont	al lin	es indicate the			
		tion of the magnetic	field.	The direction of the	forc	e acting on the		 Dire	ection
		uctor is	1				11	of th	
		toward the left on the toward the right on						- mag >	netic field
		. •	_		e pla	ne.			
	(4)	out of the plane of the							

34. Under normal atmospheric pressure, a pure block of ice at temperature −10 °C was heated at a uniform rate until it was turned into liquid water and then for some time after the water started to boil. Which graph correctly indicates the variation of the temperature of the system with time?









- 35. Consider the following statements presented regarding natural rubber.
 - A It is a linear polymer.
- B Isoprene is the monomer. C There are cross links among the chains.

Of these statements

(1) only A is true.

(2) only A and B are true.

(3) only B and C are true.

- (4) only A and C are true.
- 36. Corrosion of iron can be controlled by keeping iron in contact with the bivalent metal M. What is the half reaction to which the metal M is subjected here?

(1)
$$M(s) \longrightarrow M^{2+}(aq) + 2e$$

(3) $M^{2+}(aq) + 2e \longrightarrow M(s)$

(2)
$$M^{2+}(aq) \longrightarrow M(s) + 2e$$

(4) $M(s) \longrightarrow M^{+}(aq) + e$

(3)
$$M^{2+}(aq) + 2e \longrightarrow M(s)$$

(4)
$$M(s) \longrightarrow M^{+}(aq) + \epsilon$$

- 37. A 4 N force and a 3 N force are applied on an object at the same instance. Consider the following statements given about the magnitude of the resultant obtainable at that occasion.
 - A The maximum magnitude of the resultant obtainable is 7 N.
 - B The minimum magnitude of the resultant obtainable is 1 N.
 - C The magnitude of the resultant obtainable is always 5 N.

Of the above, the correct statement(s) is / are

- (1) only A.
- (2) only B.
- (3) only C.
- (4) only A and B.
- 38. A strong bar magnet is moved into and away from an insulated wire coil with a large number of turns as illustrated by the diagram. What is the
 - correct observation about the instances of movement of the magnet?
 - (1) In both instances, both the bulb and two LEDs light simultaneously.
 - (2) In both instances, the bulb lights and only one LED lights.
 - (3) The bulb and one LED light only when moved into the coil.
 - (4) The bulb and one LED light only when moved away from the coil.
- into the coil away from the coil

- 39. Consider the following statements.
 - A Biomagnification occurs along a food chain.
 - B Toxic chemical pollutants concentrate more in the upper trophic levels of a food chain.

Of the above statements,

(1) both A and B are true.

(2) A is true while B is false.


(3) A is false while B is true.

- (4) both A and B are false.
- 40. A statement displayed on a board near a tank is shown in the figure. Which of the following human activities in connection with the tank would have contributed most to the change mentioned on the board?
 - (1) clearing the area above the tank
 - (2) increase in algae population due to fishing
 - (3) accumulation of oil and grease due to vehicle wash
 - (4) addition of faecal and excretory matter to the water

"It is you who turned the water in this tank green"


Part B

- Answer only three questions from the questions No. 5, 6, 7, 8 and 9.
- 5. (A) Given below is a sketch of a part of the human digestive system.
 - (i) Name the parts labelled P, Q and R.
 - (ii) Describe briefly how food is subjected to mechanical digestion in P.
 - (iii) A secretion essential for the emulsification of lipids contained in food is produced by Q. Name that secretion.
 - (iv) (a) What is the enzyme which is secreted by R and contributes to digest lipids?
 - (b) State the **two** products formed by the action of that enzyme on lipids.
 - (v) The pair of hormones insulin and glucagon produced by R contributes to regulate the internal environment of the body.
 - (a) What is the factor that is regulated in the internal environment of the body by the action of those hormones?
 - (b) Explain briefly how those hormones contribute to regulate the factor you stated in (a) above.




- (B) Kidneys are considered the main organs which perform nitrogenous excretion in humans.
 - (i) What is excretion?
 - (ii) Name a nitrogenous excretory product removed by kidneys.
 - (iii) What is the structural and functional unit of the kidneys?
 - (iv) One step in the process of forming urine in the structural and functional unit of the kidneys is known as **secretion**.
 - (a) Describe briefly how secretion occurs.
 - (b) State the other two steps in the formation of urine.

- 6. (A) A longitudinal section of a fractionating tower used for refining crude oil is given below. Contained in abundance are the compound X in the fraction released from the outlet (1), compound Y in the fraction released from the outlet (4) and the compound Z in the fraction released from the outlet (6).
 - (i) By what common name is the group of organic compounds contained in abundance in crude oil known?
 - (ii) Name the crude oil refining technique employed in the tower.
 - (iii) The boiling points of the compounds X, Y and Z are $T_{\rm X}$, $T_{\rm Y}$ and $T_{\rm Z}$ respectively. Write them in the ascending order.
 - (iv) X is a compound with a single carbon atom and containing carbon and hydrogen only. Draw the dot and cross diagram of a X molecule.
 - (v) Write the balanced chemical equation relevant to the complete combustion of one mole of compound X in oxygen gas.
 - (vi) The substance released from outlet 7 of the tower is used to construct roads. Name that substance.
 - (vii) State an environmental problem caused by the gaseous components that would be released to the environment during refining of crude oil.



- (B) A is a strong acid and B is a strong base. Two products are produced in the reaction between A and B. One of those products is sodium chloride (NaCl).
 - (i) Write the chemical formulae of the compounds A and B.
 - (ii) Name the compound that is produced as the other product during the reaction between A and B.
 - (iii) Describe briefly how the compound you stated in (ii) above is formed during the reaction between A and B.
 - (iv) An apparatus set up to determine the heat change associated with the reaction between A and B is shown in the diagram.
 - (a) In the apparatus, what measure has been taken to reduce the heat loss?
 - (b) Suggest a course of action which can be taken to reduce further the heat loss in this apparatus.




- (v) 50 cm³ each of A acid solution and B base solution of equal concentration were taken and mixed in the above apparatus. The temperature change occurred here was determined to be 10 °C.
 - (a) What are the readings that should be taken to determine the above temperature change?
 - (b) Calculate the heat change associated with the above reaction. (The specific heat capacity of the reaction mixture is $5000 \text{ J kg}^{-1} \, ^{\circ}\text{C}^{-1}$ and its density is 1 g cm^{-3} .)
- (vi) Sketch an energy level diagram to illustrate the energy change occurring in the chemical reaction between A and B above.

 (20 marks)
- 7. (A) The following activities were done by a student at home using a glass hand lens.
 - Activity 1 Reading a label with very small letters
 - Activity 2 Burning a piece of dry cotton wool by solar rays
 - Activity 3 Obtaining an image of a tree in the compound on a wall in the house
 - (i) Name the type of the lens that is used as the hand lens.
 - (ii) Between which two points related to the lens should the label be placed in Activity 1?
 - (iii) Indicate by a ray diagram how light rays travel through the lens in Activity 2.
 - (iv) Instead of the hand lens, what type of a mirror can be used to carry out Activity 2?
 - (v) State two characteristics of the image formed in Activity 3.
 - (vi) Name two instruments that are made using lenses of the type used for hand lenses.
 - (B) When brakes are applied to a normal motor vehicle at run, its kinetic energy is lost due to friction.
 - (i) Brakes are applied to a motor vehicle of mass 1000 kg when running at a speed of 20 m s⁻¹.
 - (a) Calculate the kinetic energy of the vehicle at the instance just before applying brakes.
 - (b) Name two forms of energy to which the kinetic energy lost gets converted when applying brakes.
 - (ii) A part of the kinetic energy lost when applying brakes to an electric motor vehicle is converted to electrical energy and its battery is charged.
 - (a) Name the equipment that converts kinetic energy to electrical energy here.
 - (b) Name and describe briefly the phenomenon of converting lost kinetic energy of the vehicle to electrical energy.
 - (c) Name the equipment that converts the electrical energy supplied by the battery to kinetic energy required to run the vehicle.
 - (d) The electromotive force of a battery used in electric motor vehicles is about 400 V. This is composed of a set of cells where the electromotive force of one cell is 4 V. What is the minimum number of cells required to make this battery?


- **8.** (A) A student recorded as follows three animals and features of two animals indicated as P and Q as their names were unknown to him found in an okra (bandakka/vendi) cultivation.
 - snail
 - lizard
 - greater caucal (etikukula/chenpakam)
 - P Has a thin, long and vermiform body. The body is divided into equal segments.
 - Q Bears jointed legs and wings.

Write answers to the following questions related to the animals observed.


- (i) (a) Name the two vertebrate animals.
 - (b) What is the main characteristic on which the inclusion of those animals in the vertebrate group based?
- (ii) According to the above observations, what is the animal phylum to which P belongs?
- (iii) State another common characteristic specific to the animal species of the phylum to which Q belongs.
- (iv) State a favourable effect and an unfavourable effect which can be expected to have caused by Q on the crop.
- (v) State a primary consumer and a secondary consumer respectively in a food chain that contains animals observed in the okra cultivation.
- (vi) A newspaper has printed greater coucal's scientific name as Centropus Sinensis. According to the rules of binomial nomenclature, state **two** errors seen in it.
- (B) A cylindrical water tank is kept on the roof of a two storeyed house.
 - (i) Consider an occasion in which two identical water taps in the upper floor and the ground floor of the house are kept fully open at the same time.
 - (a) From the tap in which floor does water flow out with higher speed?
 - (b) Give the reason for your answer.
 - (ii) The inner cross sectional area of the tank is 1 m^2 and its height is 1 m. (Density of water is 1000 kg m^{-3} and acceleration due to gravity is 10 m s^{-2} .)
 - (a) What is the mass of water in the tank when it is completely filled with water?
 - (b) What is the pressure exerted by water on the bottom of the tank when it is completely filled with water?
 - (iii) The diagram shows a lever arrangement made to prevent the overflow of water entering the tank. When water gets filled, the buoy lifts closing the valve and the entry of water stops.
 - (a) What is the force acting on the buoy at the position shown in the diagram?
 - (b) What is the extra force acting on the buoy from the time at which the water level rises and the buoy starts to submerge in water.
 - (c) State another advantage gained from this lever arrangement in addition to the prevention of overflow of water.




9. (A) The cell U shown below is an electrochemical cell while the cell W is an electrolytic cell.



- (i) In which cell above is chemical energy converted to electrical energy?
- (ii) What is the name by which the anode reactions occurring in the two cells are known in common?
- (iii) Indicate the half reaction occurring at the anode of the cell U by a chemical equation.
- (iv) State the convention used to identify the anode and cathode in cell W.
- (v) (a) What change in colour occurs in the electrolytic solution when cell W operates?
 - (b) Explain the reason for it.
- (vi) Which electrode is dissolved when the above cells operate?
- (B) In order to operate a certain household electronic equipment, the domestic electricity supply has to be converted to a low voltage, direct current electrical supply. For that, an arrangement consisting of the following parts is used.



- (i) (a) What type of a transformer is connected to the above arrangement?
 - (b) In what coil in this transformer should wires of higher diameter be used? State the reason for it.
- (ii) The number of turns in the primary coil of the above transformer is 1800. What should be the number of turns in the secondary coil?
- (iii) Illustrate graphically how the 12 V alternating voltage supplied by the transformer varies with time.
- (iv) Draw using standard symbols, how the four diodes are connected in the full-wave rectifier circuit.
- (v) Name the device indicated by X.



answer and decide which of them you will prioritise.


Index Number:

Instructions: * Write your answers in neat handwriting.

- * Answer the four questions in Part A, in the space provided.
- * Of the five questions in Part B answer three questions only.
- * After answering, tie Part A and the answer script of Part B together and hand over.

Part A


1. (A) The following figure indicates several common sources of pollutants and the gaseous pollutants produced by them. The primary pollutants indicated in it are the gaseous pollutants directly added to the atmosphere. The secondary pollutants produced from the primary pollutants undergoing chemical changes in the atmosphere are also indicated in the figure.




Select an example relevant to each of the following statements from the figure and fill in the blanks in the table.

(i)	A pollutant source producing primary pollutants without	
	human interference.	
(ii)	A secondary pollutant affecting living beings favourably	
	in the upper regions of the atmosphere and unfavourably in	
	the lower regions of the atmosphere.	
(iii)	A primary pollutant producing secondary pollutants which	
	contribute to acid rains.	*************************
(iv)	A primary pollutant with basic properties that liberates from	
	the eutrophied water bodies.	***************************************
(v)	A secondary pollutant that falls on soil and contributes to	
. ,	provide a main nutrient essential for plant growth.	***************************************
(vi)	If the food mileage is shortened, the amount of gaseous	
	pollutants released from this pollutant source is reduced.	
(vii)	If this mode of transport is selected, your carbon foot print	
L`	during an inland tour can be minimized.	***************************************

(B) In a populated city, the atmospheric nitrogen dioxide gas (NO₂) composition was measured during a day starting from Sunday midnight to Monday midnight. The variation graph of the composition of NO₂ drawn using those data is given below. Answer the following questions based on the graph.






- (ii) In which hour of the day is the maximum NO₂ composition recorded?
- (iii) According to the above graph, in the above city, two occasions are seen in which the NO₂ composition assumes a high value in a day. Give a reason for it.
- (iv) In the above city, the increase in the NO₂ composition in the forenoon is greater than that of the afternoon. Give a reason for it?
- (v) Name another primary gaseous pollutant which would indicate a variation that corresponds to the variation of NO₂ composition during the relevant day in the above city.



2. (A) Given below is an incomplete table about four organelles existing in a cell and their main functions. Fill in the blanks and complete the table.

	Organelle	Function
(i)	Nucleus	
(ii)		providing energy required for metabolic activities
(iii)	Golgi complex	
(iv)		protein transport

(B) (i) An incomplete chart indicating the classification of plant tissues is shown below. Write the tissue types relevant to the boxes A, B, C and D on the dotted lines given and complete the table.





- (ii) What is the type of tissue in which photosynthesis occurs most?....
- (iii) Name the type of tissue which contains seive tube elements.


(C)	Ana	apparatus set by a group of students to investigate a product of photosynthesis is shown in the diagram.	
	(i)	What is the gas collected in the test tube when this apparatus	
		is kept in sunlight?test tube	
	(ii)	State a test that can be done to identify that gas and the	
		observation you make during the test.	
		Test: glass funnel Hydrilla plants	
		Observation:	
	(iii)	A new apparatus similar to the above apparatus was made by putting water saturated with carbon dioxide gas instead of normal water.	
		(a) State an observation that could be expected with regard to the evolution of gas bubbles in the new apparatus when comparing with the evolution of gas bubbles in the first apparatus under similar environmental conditions.	
		(b) Give reasons for the observation you mentioned above.	/
			/
• (1)			
3. (A)		e following figures indicate the lattice structures of three solid substances P, Q and R.	
	(i)	Identify them and fill in the relevant blanks selecting the names of those substances and the lattice structures from the box given below.	
		sodium chloride, diamond, graphite, ionic, atomic	
		$(P) \qquad (Q) \qquad (R)$	
		substance: substance: substance:	
	(ii)	lattice :	
	, ,	lpha : eta :	
	(iii)	Of the substances P, Q and R,	
	(111)	(a) which substance conducts electricity in the solid state?	
		(b) which substance has the highest hardness?	
(B)	Give	en below are two reactions in connection with the metal M.	
.(-)	0111	M + oxygen gas — heat → X (a white powder)	
	(;)	M + Y — magnesium chloride (an aqueous solution) + Z (a colourless gas) Identify M, X, Y and Z and write their names or chemical formulae on the dotted line.	
	(i)		
		M:	
	(;;)	Y:	
	(11)	^	
	(iii)	in which oxygen exists in that compound. X is sparingly soluble in water. Which colour litmus papers give a colour change when testing	(
	(441)	to sparingly soluble in water. Which colour names papers give a colour change when testing	

that aqueous solution with litmus papers?

4. (A) In an activity to demonstrate Newton's laws, a trolley connected to two equal masses M with strings is used. The figures show three instances in the activity. In those instances, the slack strings are represented by wavy lines while the taut strings are represented by straight lines. The strings are made to pass over two smooth pulleys A and B fixed to the two ends of a table. Arrows indicate the direction of motion of the trolley which smoothly moves on the horizontal table and the directions of motion of the masses.








(i) Inserting appropriately the terms given in the following box, complete the following table which describes the nature of motion of the trolley in the instances I, II and III.

uniform retardation, uniform acceleration, uniform velocity, Newton's first law, Newton's second law

Instance	Nature of motion of the trolley	Newton's law that describes the nature of motion of the trolley
I		
II		
WII		Newton's second law

(ii) In one of the above instances, the trolley took 5 s to travel 50 cm on the table with uniform velocity. Find the uniform velocity with which the trolley moved.

(B) The figure shows a cuboidal block of wood used to examine how the frictional force between a horizontal surface and an object placed on it changes. The block of wood is connected to a Newton balance by a string and a horizontal, external force F is applied. The experiment is conducted by increasing the value of the force F gradually from zero.



(i) Name the forces indicated by R and W.

R:.....W:

- (ii) The block of wood stays at rest until *F* is increased to a certain value from zero. By what name is the frictional force acting on the block of wood known before it starts to move?
- (iii) At the moment the motion starts, the frictional force acting on the block of wood reaches the maximum value.
 - (a) What is the name of that maximum frictional force?
 - (b) Write **two** factors on which the magnitude of that frictional force depends.
 - (c) Suggest a method that can be practically applied to change one factor you stated in (b) above.