

Which of the above is / are equivalent to C in Hexadecimal notation?

- (vi). A and B only
(vii). A only
(viii). B only
(ix). C only
(x). B and C only

6) What is the decimal equivalent to binary 00.00001_2 ?

- (i). 0.09_{16}
(ii). 0.03125_{10}
(iii). 0.03152_{10}
(iv). 0.010_{16}
(v). 0.03_8

7) What is the two's complement representation of 67, if an integer is represented by 8 bits?

- (i). 111100_2
(ii). 111101_2
(iii). 00111100_2
(iv). 00111101_2
(v). 00000011_2

8) "In ASCII encoding bits are used for storing a character."

Select the correct answer to complete the above sentence.

- (i). 6 bits
(ii). 1 bit
(iii). 16 bits
(iv). 1 byte
(v). bits

9) Which of the following numbers is equivalent to binary number 10111010_2 ?

- (vi). 186_{10}
(vii). 156_{10}
(viii). AB_{16}
(ix). 271_8
(x). 273_8

10) Which of the following numbers is equivalent to decimal number 125?

- (i). 01011101_2
(ii). 01111101_2
(iii). 174_8
(iv). $7B_{16}$
(v). $6C_{16}$

11) What is the binary representation of 8.25_{10} ?

- (i). 8.25_{16}
(ii). 1000.01_2
(iii). 1000.11_2
(iv). 10.3_8
(v). 9.4_8

12) Consider the following statements regarding character representation:

- (i). ASCII (American Standard Codes for Information Interchange) normally uses 8 bits to store each character.
(ii). UNICODE normally uses 16 bits to store each character.
(iii). BCD is a 8 bit code used for coding numeric values.

Which of the above statements can be considered true?

- (i). A only
(ii). B only
(iii). C only

- (iv). A & B only (v). B & C only

13) NOT operation of the value 111001_2 will be:

- (i). 111010_2 (iii). 000110_2 (v). 101010_2
(ii). 010101_2 (iv). 1111010_2

$AB_{16} + 53_8 = (\dots\dots\dots)_8$

- (i). 326 (iii). 247 (v). 337
(ii). 427 (iv). 47

14) What is the decimal value equivalent to $0001\ 101.01_2$?

- (i). 13.5 (iii). 13.05 (v). 13.25
(ii). 12.15 (iv). 12.25

15) $101_2 + 101_8 + 1011_6 =$

- (i). 303_{10} (iii). 303_8 (v). 327_8
(ii). 303_{16} (iv). 327_{10}

B- Provide suitable answers for the following questions.

1) Give 4 methods of character representation

- (i).
- (ii).
- (iii).
- (iv).

2) Give 2 advantages and disadvantages of Binary Coded Decimals

.....
.....
.....
.....
.....

3) State an advantage of using Two's complement representation of data in computer's tasks.

.....
.....
.....
.....

4) Convert the following numbers to BCD and hence give the decimal value derived from the BCD value:

(i). 1000111_2

.....
.....

(ii). 1111000_2

.....
.....

5) Give an advantage and an disadvantage of the following:

(i). Fixed point data representation scheme

.....
.....

(ii). Floating point data representation scheme

.....

.....

Part 2

1.

- 1) State how to identify whether a 8 bit binary value is a negative value or a positive value.
- 2) Show the 2's complement of (-42).
- 3) Calculate $57 - 42$ in 2's complement method.

2.

- 1) Write down the Two's Complement representation of 12_8 using 8 bits.
- 2) Write down the Two's Complement representation of -15_{10} using 8 bits.
- 3) Compute $-15_{10} + 12_8$ using the above representations of 3. , 4

3.

- 1) Assume that a program represents integers in 8 bit two's complement form. However the results of the computations will be printed in decimal form.
 - i. Give the representation of 100_{10} in the above program.
 - ii. Give the representation of -20_{10} in the above program
 - iii. Explain how the computation of $100_{10} - 20_{10}$ done by the device using your representations given in section (i) and (ii) above.
 - iv. List the steps necessary to transform the results obtained in section (iii) above into decimal form in order to print the answer.